




24V electromechanical operator for semi-intensive use, for automation of industrial sectional doors up to 25 m² (Pegaso B Cja 625) or up to 45 m².

Limit switches with absolute encoder, with the possibility of rapid adjustment from floor.

Max. opening speed 24rpm and max. torque 70Nm (Pegaso B Cja625); max. opening speed 24rpm and max. torque 100Nm (Pegaso B Cja 645).

DIMENSION (MM)



TECHNICAL FEATURES

	PEGASO BCJA620L11	PEGASO BCJA625L11	PEGASO BCJA625L12	PEGASO BCJA645W11
Nominal voltage	230 V	230 V	230 V	400 V
Power input	750 W	750 W	750 W	980 W
Max surface area	20 m ²	25 m ²	25 m ²	45 m ²
Shaft diameter	25.4 mm	25.4 mm	25.4 mm	25.4 mm
Door surface area	20 m ²	25 m ²	25 m ²	45 m ²
Travel	18	18	18	18
Type of limit switch	Absolute encoder	Absolute encoder	Absolute encoder	Absolute encoder
Locking	Mechanical	Mechanical	Mechanical	Mechanical
Release	Chain release	Chain release	Double cable release	Chain release
Frequency of use	Semi intensive	Semi intensive	Semi intensive	intensive
Protection rating	IP54		IP55	IP54
Environmental conditions	-10 ÷ 50 °C			

		Description
P925205 00004	PEGASO BCJA620L11	Electromechanical operator, deadman, for industrial sectional doors with max surface area 20 m ² and use Semi intensive. Power supply 230 V. max speed 33 Rpm. max torque 50 nm. Chain release. IP54. Chain unlocking, deadman.
P925203 00006	PEGASO BCJA625L11	Electromechanical operator, deadman, for industrial sectional doors with max surface area 25 m ² and use Semi intensive. Power supply 230 V. max speed 24 Rpm. max torque 70 nm. Chain release. IP54. Chain unlocking, deadman.
P925204 00006	PEGASO BCJA625L12	Electromechanical operator, deadman, for industrial sectional doors with max surface area 25 m ² and use Semi intensive. Power supply 230 V. max speed 24 Rpm. max torque 70 nm. Double cable release. IP55. Double cable unlocking, deadman.
P925203 00007	PEGASO BCJA645W11	Electromechanical operator, deadman, for industrial sectional doors with max surface area 45 m ² and use intensive. Power supply 400 V. max speed 24 Rpm. max torque 100 nm. Chain release. IP54. Intensive, deadman.


RECOMMENDED ACCESSORIES

	D121631 - PEGASO CABLE MONO		D121632 - PEGASO CABLE TRI
	Pre-wired power supply cable for PEGASO single phase operators. Length 1 m.		Pre-wired power supply cable for PEGASO three-phase operators. Length 1 m.
	D121624 - PEGASO UP CONTROL 5		D121625 - PEGASO UP CONTROL 10
	Cable with pre-wired OPEN - STOP - CLOSE keypad for PEGASO UP operators. For adjusting motor limit switches from floor level. Length 5 m.		Cable with pre-wired OPEN - STOP - CLOSE keypad for PEGASO UP operators. For adjusting motor limit switches from floor level. Length 10 m.
	N999468 - PEG CCP		N733338 - PIG 12/ULISSE 5
	Extension for PEGASO C operators release chain. Length 4 m.		Z12 pinion gear for industrial sectional doors, for 1" (25.4 mm) shafts.
	N733336 - PIG 14/ULISSE 5		N733339 - PIG 18/ULISSE 5
	Z14 pinion gear for industrial sectional doors, for 1" (25.4 mm) shafts.		Z18 pinion gear for industrial sectional doors, for 1" (25.4 mm) shafts.
	N733337 - PIG 30/ULISSE 5		N733148 - COR 30
	Z30 pinion gear for industrial sectional doors, for 1" (25.4 mm) shafts.		Z30 gear kit complete with accessories for industrial sectional doors, for 1" (25.4 mm) shafts.
	N733149 - COR 40		N733121 - SFZ
	Z40 gear kit complete with accessories for industrial sectional doors, for 1" (25.4 mm) shafts.		Additional fixing bracket kit. To be used on chain drive installations.



RECOMMENDED ACCESSORIES

	N733449 - PEGASO ADA			
	PEGASO ADA adapter for installation on doors with 1"1/4 shaft.			



www.bft-automation.com

INFORMATIVA A TUTELA DEI DIRITTI DI PROPRIETÀ INDUSTRIALE E INTELLETTUALE DI BFT. BFT S.p.A. tutela i propri diritti di proprietà industriale attraverso il deposito di marchi, brevetti, modelli e design. La proprietà intellettuale di BFT S.p.A. è tutelata a norma della legge sul diritto d'autore. BFT S.p.A. tutela inoltre il proprio know-how adottando misure di protezione delle informazioni tecniche e commerciali inerenti la propria azienda e i propri prodotti. Tutti i prodotti presenti in questo catalogo sono MODELLI ORIGINALI BFT e BFT S.p.A. è la sola autorizzata a produrli e commercializzarli in tutto il Mondo. Tutti i nomi commerciali attribuiti ai prodotti presenti in questo catalogo sono di titolarità di BFT S.p.A. che è la sola autorizzata al loro uso in relazione alla relativa categoria merceologica. I CONTRAFFATTORI VERRANNO PERSEGUITI A NORMA DI LEGGE SIA IN SEDE CIVILE CHE PENALE. IL TUTTO A GARANZIA NON SOLO DEL PATRIMONIO INTELLETTUALE DI BFT, MA ANCHE A TUTELA DEI CLIENTI CHE ACQUISTANDO PRODOTTI BFT ACQUISTANO PRODOTTI ORIGINALI FRUTTO DI STUDI E PROGETTI INTERNI ALLA SOCIETÀ BFT.